




DOOR SCHEDULE													
MARK	DOOR			SLAB THICKNESS	FRAME		DETAILS			V.I.F. - WALL THICKNESS	HW SET	FIRE RATING	COMMENTS
	SIZE	TYPE	MAT. / FINISH		TYPE	MAT. / FIN.	HEAD	JAMB	SILL				
315A	3'-0" x 7'-0"	1	S.C. / PRE-FIN	1-3/4"	A	H.M. / PAINT	6/A3	5/A3	4/A3	4 3/4"	1	45 MINS.	
315B	3'-7 1/4" x 6'-11 3/4"	2	S.C. / PRE-FIN	1-3/4"	B	ALUM. / PRE-FIN	9/A3	8/A3	7/A3	4 3/4"	2	45 MINS.	
315C	3'-7 1/4" x 3'-4"	3	S.C. / PRE-FIN	1-3/4"	C	ALUM. / PRE-FIN	9/A3	9/A3	2&3/A3	4 3/4"	3	45 MINS.	

- FIELD MEASURE & VERIFY ALL OPENINGS PRIOR TO ORDER AND FABRICATION (TYP.)

1
PRE-FINISHED S.C. WOOD

2
PRE-FINISHED S.C. WOOD

3
PRE-FINISHED S.C. WOOD

- FIELD MEASURE & VERIFY ALL OPENINGS PRIOR TO ORDER AND FABRICATION (TYP.)

A
PAINTED HOLLOW METAL

B
PRE-FINISHED ALUMINUM

C
PRE-FINISHED ALUMINUM

DOOR TYPES													
1/4" = 1'-0"													

DOOR FRAME TYPES													
1/4" = 1'-0"													

FINISH SCHEDULE													
RM #	Name	FLOORS		BASE		WALLS			CEILINGS			REMARKS	
		1 - QUARRY TILE	2 - EXISTING TO REMAIN	3 - COVED QUARRY TILE	4 - COVED VINYL	5 - EXISTING TO REMAIN	6 - PAINTED GYP. BOARD	7 - F.R.P.	8 - STAINLESS STEEL	9 - ACOUSTIC PANEL	10 - EXISTING TO REMAIN		11 - ACOUSTIC TILE & GRID
308	MECHANICAL		2			5				10		13	EXISTING 1 HOUR RATING
310	MEETING SPACE		2		4	5	6			10	11	13	
311	HALL		2		4	5	6			10	11	13	
315	WARMING KITCHEN	1		3	4	5	6	7	8			12	EXISTING 1 HOUR RATING TO BE MAINTAINED
318	MEETING SPACE		2		4	5	6		9	10	11	13	

HARDWARE SETS

- FINAL KEYING BY OWNERS LOCKSMITH (TYP.) -

	QTY & DESCRIPTION	CATALOG NUMBER	FINISH	MFR
HARDWARE SET #1: (HINGED DOOR)	(3) HINGES	58B1HW 4.5 x 4.5 NRP	652	IVE
	(1) SURFACE CLOSER	4050A EDA - PUSH SIDE (NO HOLD OPEN)	689	LCN
	(1) OVERHEAD STOP	100S	652	GLY
	(1) CLASSROOM LOCK	PC7OLD RHO	626	SCH
	(1) PERMANENT CORE	(MATCH OWNERS EXISTING SYSTEM)		
HARDWARE SET #2: (SLIDER DOOR SYSTEM)	(1) KICK PLATE	8400 10"x2" LDW B-CS	630	IVE
	(1) GASKETING	4895BK PSA	BK	ZER

HARDWARE SET #2: (1) REFER TO SPECIFICATION SECTION 08 - FIRE RATED SLIDING DOOR SYSTEM

HARDWARE SET #3: (1) REFER TO SPECIFICATION SECTION 08 - FIRE RATED SLIDING DOOR SYSTEM

STATE OF MICHIGAN

HANNAH L. WALKER

ARCHITECT

1301072828

LICENSED ARCHITECT

